RADE - Machine Learning for Speech over HF Radio


freedv.org

Supported by a grant from Amateur Radio Digital Communications

March 19, 2025

A B A A B A

Outline



2 Design Versus Training

3 RADE Overview



æ

イロト イヨト イヨト イヨト

RADE Radio Auto-encoder

- Applying machine learning (ML) to send speech over HF radio
- Combines traditional DSP and modern ML to encode and decode speech
- Connect a PC running RADE to your SSB radio
- 8 kHz audio bandwidth, high quality speech
- Works at low and high SNRs, handles multipath fading

RADE Examples


- Texas to Australia, 25W, SNR 4 dB, deep fading Link
- 2000km Australian path, low and high SNR, barber pole fading •Link

< ロ > < 同 > < 回 > < 回 > < 回 > < 回 > < 回 > < 回 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 > < 0 >

RADE is an outcome of the FreeDV Project ...


- Open source HF digital voice for amateur radio
- Since 2023, funded by an ARDC grant
- 6 person Project Leadership Team
- Financial sponsor is the Software Freedom Conservancy
- Project Goal: a voice mode competitive with SSB at high and low SNRs

- Previously, we would design a system
- Figure out all the signal processing steps
- With ML the emphasis is on training a neural network
- Consider an AM receiver example
- Lets build the Detector using machine learning




A B A A B A

- Start with an untrained neural network
- Collect some training material
- Many examples of input and desired output
- Adjust the network so it matches the desired output



3 1 4 3 1




э

→ < ∃ →</p>


- Sometimes we don't know the best way to design something
- Real world problems are complex, perfect designs don't exist
- But we do have a good idea of what success looks (sounds) like
- So we just treat the system as a black box
- Show it examples of what we would like to see and train
- ML has provided step changes in performance for many applications
- Including speech synthesis and compression

- Jean-Marc Valin (and team) compressing speech for Internet applications
- Idea: could it could be applied to noisy signal over radio channels?
- Jean-Marc developed a quick proof of concept
- We wrapped a modem around it, developed a practical HF voice system
- Hams around the world helped crowd sourced the testing
- Mooneer Salem integrated RADE with the FreeDV GUI application

A E • A E •



(freedv.org)




(freedv.org)


æ

- Example of features waterfall (aka spectrogram)
- A series of samples of the speech spectrum
- Encoder takes features and produces symbols we send over channel
- Decoder takes symbols and produces features
- Which are fed to a ML synthesiser to generate high quality speech
- Trained with 200 hours of speech, corrupted by noise and the HF channel
- Classical DSP modem wrapped around ML for synchronisation

RADE Constellation

QPSK Constellation





イロン イ理 とく ヨン イ ヨン

э

Conclusion

- Training versus Design
- RADE Radio Autoencoder
- ML combined with classical DSP
- High quality speech over HF at low and high SNRs
- FreeDV GUI Application, sound card, SSB radio
- Supported by a grant from Amateur Radio Digital Communications
- Crowd sourced testing thanks to many Hams around the world
- Developed by Hams for Hams

Links

Download freedv.org Help freedv.org - mailing list, QSO finder chat, Discord chat QSO Finder qso.freedv.org Link PSK Reporter Link RADE Intro Doc Link

э

(日)